

Proposal Opening Witness

Date of opening: February 21, 2014

The witnesses signed below hereby witness they were present on the above date and in witness of the public opening of all responses received to the Request For Proposal #022014 for the procurement of SEWER VACUUM, HYDRO-EXCAVATION AND/OR STREET SWEEPER EQUIPMENT WITH RELATED ACCESSORIES AND SUPPLIES by NJPA and NJPA Members.

Proposals are evaluated first on responsiveness then on the other criteria included in the RFP. Responsiveness consists of the following criteria:

1. Was the response received prior to the deadline of submission?
2. Was the response properly packaged and addressed?
3. Did the response contain the proper bid bond?
4. Did the response include documents with original signatures that were required?

Responses were received from the following:

Atlantic Machinery, Inc. – received 2/17/14 at 11:19am

Bidder deemed responsive

Envirosight, LLC – received 2/19/14 at 11:40am

Bidder deemed responsive

Federal Signal Corporation – received 2/19/14 at 1:16pm

Bidder deemed responsive

Gap Vax, Inc. – received 2/20/14 at 11:00am

Bidder deemed non-responsive

Incomplete Forms – no electronic copy

Global Environmental Products, Inc. – received 2/17/14 at 12:34pm

Bidder deemed responsive

Gradall Industries, Inc./Vacall Product Line – received 2/18/14 at 11:15am

Bidder deemed responsive

Hi-Vac Corporation – received 2/20/14 at 11:01am

Bidder deemed responsive

RapidView, LLC – received 2/20/14 at 11:00am

Bidder deemed responsive

Ring-O-Matic, Inc. – received 2/20/14 at 11:04am

Bidder deemed responsive

SB Manufacturing, Inc. – received 2/12/14 at 9:24am

Bidder deemed responsive

Sewer Equipment Co. of America – received 2/17/14 at 11:06am

Bidder deemed responsive

Stewart-Amos Equipment Co. – received 2/20/14 at 11:01am

Bidder deemed responsive

Responses continued


Super Products, LLC – received 2/18/14 at 11:14am

Bidder deemed responsive

Thompson Pump & Manufacturing Co., Inc. – received 2/19/14 at 1:16pm


Bidder deemed non-responsive-out of scope

WITNESSES:



Gregg Meierhofer, CPPO, Bids and Contracts Officer, NJPA

2/21/14



Tracy Plinske, Contracts Specialist, NJPA

2/21/14



Sheila Christoffersen, Administrative Specialist, NJPA

2/21/14



Kelly Busker, Administrative Specialist, NJPA

2/21/14

